

ESP 15D/2BX



[Products](#) → [Low Voltage Products and Systems](#) → [Surge Protective Devices](#) → [IEC/EN standard](#) → [Furse ESP data & signal protection](#)

[Products](#) → [Low Voltage Products and Systems](#) → [Surge Protective Devices](#) → [IEC/EN standard](#) → [Furse special products](#)

General Information

Extended Product Type:	ESP 15D/2BX
Product ID:	7TCA085400R0090
EAN:	5414363168829
Catalog Description:	ESP 15D/2BX Surge Protective Device
Long Description:	ESP 15D/2BX IP66 BOXED 15V DATA SPD FOR 4 WIRE LINES UP TO FOR 300mA CURR ENT

Ordering

EAN:	5414363168829
-------------	---------------

Minimum Order Quantity:	1 piece
--------------------------------	---------

Customs Tariff Number:	8536301000
-------------------------------	------------

Dimensions

Product Net Width:	170 mm
---------------------------	--------

Product Net Height:	80 mm
----------------------------	-------

Product Net Depth:	56 mm
---------------------------	-------

Product Net Weight:	0.300 kg
----------------------------	----------

Container Information

Package Level 1 Units:	1 piece
-------------------------------	---------

Package Level 1 EAN:	5414363168829
-----------------------------	---------------

Environmental

Ambient Air Temperature:	Operation -40 ... +80 °C
---------------------------------	--------------------------

Additional Information

Connection Type:	Screw clamp
-------------------------	-------------

Maximum Continuous Operating Voltage (U_c):	19 V
--	------

Nominal AC Voltage of the System (U₀):	15 V
--	------

Product Main Type:	Data SPD
---------------------------	----------

Product Name:	Surge Protective Devices
----------------------	--------------------------

Rated Current (I_n):	300 mA
---------------------------------------	--------

Rated Frequency (f):	2.5 MHz
-----------------------------	---------

Standards:	IEC 61643-21
-------------------	--------------

Suitable For:	To protect systems against transient overvoltages or surges from lightning and electrical switching events
----------------------	--

Voltage Protection Level (U_p):	19 V
---	------

Wire Stripping Length:	8 mm
-------------------------------	------

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	9AKK10103A0048
---	----------------

Declaration of Conformity - CE:	9AKK106713A0815
--	-----------------

Instructions and Manuals:	9AKK106713A1364
----------------------------------	-----------------

Classifications

ETIM 4:	EC000943 - Surge protection device for data networks/MCR-technology
----------------	---

ETIM 5:	EC000943 - Surge protection device for data networks/MCR-technology
----------------	---

ETIM 6:	EC000943 - Surge protection device for data networks/MCR-technology
----------------	---

