

ESP 30H



Products → Low Voltage Products and Systems → Surge Protective Devices → IEC/EN standard → Furse ESP data & signal protection

Products → Low Voltage Products and Systems → Surge Protective Devices → IEC/EN standard → Furse special products

General Information

Extended Product Type:	ESP 30H
Product ID:	7TCA085400R0011
EAN:	5414363168959
Catalog Description:	ESP 30H Surge Protective Device
Long Description:	ESP 30H 30V DATA SPD FOR 2 WIRE LINES UP TO 4A CURRENT

Ordering

EAN:	5414363168959
-------------	---------------

Minimum Order Quantity:	1 piece
--------------------------------	---------

Customs Tariff Number:	8536301000
-------------------------------	------------

Dimensions

Product Net Width:	120 mm
---------------------------	--------

Product Net Height:	54 mm
----------------------------	-------

Product Net Depth:	19 mm
---------------------------	-------

Product Net Weight:	0.080 kg
----------------------------	----------

Container Information

Package Level 1 Units:	1 piece
-------------------------------	---------

Package Level 1 EAN:	5414363168959
-----------------------------	---------------

Environmental

Ambient Air Temperature:	Operation -40 ... +80 °C
---------------------------------	--------------------------

Additional Information

Connection Type:	Screw clamp
-------------------------	-------------

Discharge Current:	I (max, 8 / 20 µs) 10 kA
---------------------------	--------------------------

Maximum Continuous Operating Voltage (U_c):	36.7 V
--	--------

Nominal AC Voltage of the System (U_o):	30 V
--	------

Number of Protected Poles:	1
-----------------------------------	---

Product Main Type:	Data SPD
---------------------------	----------

Product Name:	Surge Protective Devices
----------------------	--------------------------

Rated Current (I_n):	4 A
---------------------------------------	-----

Rated Frequency (f):	130 kHz
-----------------------------	---------

Standards:	IEC 61643-21
-------------------	--------------

Suitable For:	To protect systems against transient overvoltages or surges from lightning and electrical switching events
----------------------	--

Voltage Protection Level (U_p):	43.5 V
---	--------

Wire Stripping Length:	6 mm
-------------------------------	------

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	9AKK10103A0050
---	----------------

Declaration of Conformity - CE:	9AKK106713A0815
--	-----------------

Instructions and Manuals:	9AKK106713A1363
----------------------------------	-----------------

Classifications

ETIM 4:	EC000943 - Surge protection device for data networks/MCR-technology
----------------	---

ETIM 5:	EC000943 - Surge protection device for data networks/MCR-technology
----------------	---

ETIM 6:	EC000943 - Surge protection device for data networks/MCR-technology
----------------	---

