

Products → Low Voltage Products and Systems → Surge Protective Devices → IEC/EN standard
→ Furse ESP data & signal protection

Products → Low Voltage Products and Systems → Surge Protective Devices → IEC/EN standard
→ Furse special products

General Information

Extended Product Type:	ESP KS30
Product ID:	7TCA085400R0032
EAN:	5414363169161
Catalog Description:	ESP KS30 Surge Protective Device
Long Description:	ESP KS30 DATA SPD FOR 30V LSA-PLUS SIGNAL LINES

Ordering

EAN:	5414363169161
Minimum Order Quantity:	1 piece
Customs Tariff Number:	8536301000

Dimensions

Product Net Width:	22 mm
Product Net Height:	52 mm
Product Net Depth:	9.5 mm
Product Net Weight:	0.01 kg

Container Information

Package Level 1 Units:	1 piece
Package Level 1 EAN:	5414363169161

Environmental

Ambient Air Temperature:	Operation -40 ... +80 °C
---------------------------------	--------------------------

Additional Information

Connection Type:	Push-in
Discharge Current:	I (max, 8 / 20 μs) 5 kA
Maximum Continuous Operating Voltage (U_c):	33.4 V
Nominal AC Voltage of the System (U_o):	30 V
Number of Protected Poles:	3
Product Main Type:	Data SPD

Product Name:	Surge Protective Devices
Rated Current (I_n):	150 mA
Rated Frequency (f):	5 MHz
Standards:	IEC 61643-21
Suitable For:	To protect systems against transient overvoltages or surges from lightning and electrical switching events
Voltage Protection Level (U_p):	45 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information:	9AKK10103A0057
Declaration of Conformity - CE:	9AKK106713A0842
Instructions and Manuals:	9AKK106713A1678

Classifications

ETIM 4:	EC000943 - Surge protection device for data networks/MCR-technology
ETIM 5:	EC000943 - Surge protection device for data networks/MCR-technology
ETIM 6:	EC000943 - Surge protection device for data networks/MCR-technology

