

Products → Low Voltage Products and Systems → Surge Protective Devices → IEC/EN standard  
→ Furse ESP telecoms & computer line protection

## General Information

<b>Extended Product Type:</b>	ESP TN/JP
<b>Product ID:</b>	7TCA085400R0177
<b>EAN:</b>	5414363086482
<b>Catalog Description:</b>	ESP TN/JP Surge Protective Device
<b>Long Description:</b>	ESP TN/JP DATA SPD FOR TELEPHONE LINE WITH BT UK CONNECTI ON

## Ordering

<b>EAN:</b>	5414363086482
<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	8536908085

## Dimensions

<b>Product Net Width:</b>	106 mm
<b>Product Net Height:</b>	600 mm
<b>Product Net Depth / Length:</b>	24 mm
<b>Product Net Weight:</b>	0.15 kg

## Container Information

<b>Package Level 1 Units:</b>	1 piece
<b>Package Level 1 EAN:</b>	5414363086482

## Environmental

<b>Ambient Air Temperature:</b>	Operation -40 ... +80 °C
---------------------------------	--------------------------

## Additional Information

<b>Connection Type:</b>	Screw clamp
<b>Discharge Current:</b>	I (max, 8 / 20 μs) 10 kA
<b>Maximum Continuous Operating Voltage (U<sub>c</sub>):</b>	296 V
<b>Nominal AC Voltage of the System (U<sub>o</sub>):</b>	296 V
<b>Product Main Type:</b>	Data SPD
<b>Product Name:</b>	Surge Protective Devices
<b>Rated Current (I<sub>n</sub>):</b>	300 mA

<b>Rated Frequency (f):</b>	20 MHz
<b>Standards:</b>	IEC 61643-21
<b>Suitable For:</b>	To protect systems against transient overvoltages or surges from lightning and electrical switching events
<b>Voltage Protection Level ( Up):</b>	298 V

### Certificates and Declarations (Document Number)

<b>Data Sheet, Technical Information:</b>	9AKK10103A0245
<b>Declaration of Conformity - CE:</b>	9AKK106713A0840
<b>Instructions and Manuals:</b>	9AKK106713A1368

### Classifications

<b>ETIM 4:</b>	EC000943 - Surge protection device for data networks/MCR-technology
<b>ETIM 5:</b>	EC000943 - Surge protection device for data networks/MCR-technology
<b>ETIM 6:</b>	EC000943 - Surge protection device for data networks/MCR-technology

