ESP DC550/12.5/PV



Products -> Low Voltage Products and Systems -> Surge Protective Devices -> IEC/EN standard -> Furse ESP Mains power protection

General Information

Extended Product Type: ESP DC550/12.5/PV Product ID: 7TCA085460R0147

EAN: 5415022011234

Catalog Description: ESP DC550/12.5/PV Surge Protective Device

Long Description: ESP DC550/12.5/PV TYPE 1+2 POWER SPD FOR 550VDC PV SUPPLIE

S, 12.5KA 10/350 SURGE CURRENT RATING

Ordering

EAN: 5415022011234

Minimum Order Quantity: 1 piece

Customs Tariff Number: 8536309099

Dimensions

Product Net Width: 76 mm

Product Net Height: 76 mm

Product Net Depth: 305 mm

Product Net Weight: 0.48 kg

Container Information

Package Level 1 Units: 1 piece

Package Level 1 EAN: 5415022011234

Environmental

Ambient Air Temperature: Operation -40 ... +80 °C

Additional Information

Arrester Class:

Ш

Connection Type: Screw clamp

Discharge Current: Nominal 20 kA

I (max, 8 / 20 µs) 40 kA

Maximum Continuous Operating

Voltage (U_c):

550 V

550 V

2

Nominal AC Voltage of the System

(U_o):

Number of Protected Poles:

Product Main Type:	Power SPD
Product Name:	Surge Protective Devices
Rated Frequency (f):	0 Hz
Short Circuit Withstand Icc:	25 kA
Standards:	IEC 61643-11
Suitable For:	To protect systems against transient overvoltages or surges from lightning and electrical switching events
Voltage Protection Level (Up):	2 kV
Wire Stripping Length:	11 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information: 9AKK10103A0353

Declaration of Conformity - CE: 9AKK106713A0814

Instructions and Manuals: 9AKK106713A1375

Classifications

ETIM 4:	EC000941 - Surge protection device for power supply systems
ETIM 5:	EC000941 - Surge protection device for power supply systems
ETIM 6:	EC000941 - Surge protection device for power supply systems

