ESP 240-16A/BX



Products 4 Low Voltage Products and Systems 5 Surge Protective Devices 5 IEC/EN standard 5 Furse ESP Mains power protection

Products + Low Voltage Products and Systems + Surge Protective Devices + IEC/EN standard + Furse special products

General Information

 Extended Product Type:
 ESP 240-16A/BX

 Product ID:
 7TCA085460R0081

 EAN:
 5414363086291

Catalog Description: ESP 240-16A/BX Surge Protective Device

Long Description: ESP 240-16A/BX IN-LINE POWER SPD FOR 240V SUPPLIES UP TO 16A CURRENT, IP66

ENCLOSURE

Ordering

Graomig	
EAN:	5414363086291
Minimum Order Quantity:	1 piece
Customs Tariff Number:	8536301000
Dimensions	
Product Net Width:	170 mm
Product Net Height:	80 mm
Product Net Depth:	56 mm
Product Net Weight:	0.26 kg
Container Information	
Package Level 1 Units:	1 piece
Package Level 1 EAN:	5414363086291
Environmental	
Ambient Air Temperature:	Operation -40 +80 °C
Additional Information	
Arrester Class:	
Connection Type:	Screw clamp
Discharge Current:	I (max, 8 / 20 μs) 10 kA
Maximum Continuous Operating Voltage	280 V
(U _c):	
Nominal AC Voltage of the System (U_o) :	240 V
Number of Protected Poles:	3
Product Main Type:	Power SPD
Product Name:	Surge Protective Devices
Rated Current (I _n):	16 A
Rated Frequency (f):	50 / 60 Hz
Standards:	IEC 61643-11
Suitable For:	To protect systems against transient overvoltages or surges from lightning and electrical switching events
Temporary Overvoltage Test Value (U _T):	350 V
Type of Low Voltage Distribution System:	TN TT
Voltage Protection Level (Up):	600 V
Wire Stripping Length:	8 mm
Certificates and Declarations (Document Number)	
Data Sheet, Technical Information:	9AKK10103A0346
Declaration of Conformity - CE:	9AKK10103A0346 9AKK106713A0808
Instructions and Manuals:	9AKK106713A1339
Classifications	0, ##(100) 10, (1000
ETIM 4:	EC000942 - Surge protection device for terminal equipment
ETIM 5:	EC000942 - Surge protection device for terminal equipment
ЕПМ 6:	EC000942 - Surge protection device for terminal equipment

