



Products + Low Voltage Products and Systems + Surge Protective Devices + IEC/EN standard + Furse ESP data & signal protection

General Information	
Extended Product Type:	ESP SL110
Product ID:	7TCA085400R0061
EAN:	5415022008807
Catalog Description:	ESP SL110 Surge Protective Device
Long Description:	ESP SL110 SLIM LINE 110V DATA SPD FOR 2 WIRE SIGNAL LINES UP TO 750mA CURRENT
Ordering	
EAN:	5415022008807
Minimum Order Quantity:	1 piece
Customs Tariff Number:	8536301090
Dimensions	
Product Net Width:	106.5 mm
Product Net Height:	104.6 mm
Product Net Depth / Length:	7 mm
Product Net Weight:	0.08 kg
Container Information	
Package Level 1 Units:	1 piece
Package Level 1 EAN:	5415022008807
Environmental	
Ambient Air Temperature:	Operation -40 +80 °C
Additional Information	
Connection Type:	Screw clamp
Discharge Current:	I (max, 8 / 20 μs) 10 kA
Maximum Continuous Operating Voltage (U _c):	132 V
Nominal AC Voltage of the System (U _o):	י 110 V
Number of Protected Poles:	3
Product Main Type:	Data SPD

Rated Current (I _n):	750 mA
Rated Frequency (f):	45 MHz
Standards:	IEC 61643-21
Suitable For:	To protect systems against transient overvoltages or surges from lightning and electrical switching events
Voltage Protection Level (Up):	165 V
Wire Stripping Length:	9.5 mm
Certificates and Declarations (D	Oocument Number)
Data Sheet, Technical Information:	9AKK10103A0052
Declaration of Conformity - CE:	9AKK106713A1076
Instructions and Manuals:	9AKK106713A1365

Classifications

ETIM 4:	EC000943 - Surge protection device for data networks/MCR-technology
ETIM 5:	EC000943 - Surge protection device for data networks/MCR-technology
ETIM 6:	EC000943 - Surge protection device for data networks/MCR-technology

